INDEX

Electronics Letters

VOLUME 1 1965

A

A.C. response of a saturated ionisation chamber. G.C. Thomas 199
Abeles, B., Keller, K.R., and Goldstein, Y. (See Goldstein)
Abignoli, M. Reduction of magnetic-field fluctuations by an inductive feedback system 150
Abraham, D., and Poehler, T.O. Double-gate thin-film transistor 49
Absolute method of measuring the acceleration due to gravity using Doppler radar. I. Adlem, R.C. Glass, J.I. Missen and J. Newton 63
Acceleration due to gravity, absolute method of measuring, using Doppler radar. I. Adlem, R.C. Glass, J.I. Missen and J. Newton 63
Acoustic amplifier, power relationships in. L. Solymar and E.A. Ash 241
Acoustic waves, cylindrically spreading, end-fire array of virtual acoustic sources produced by the interaction of. H.O. Berktay and B.V Smith 202
Acoustiklystron, the – velocity modulation of a supersonic stream of gas. R.B. Dyott 151
Active all-pass network. H.A. Bodner and S.K. Mitra 98
Active Chebyshev filters. A.G.J. Holt and R. Linggard 130
Adaptive control system utilising sampling techniques and Aitken's approximation. D. Graupe and G. Cassir 120
Adaptive optimally switched control system using digital techniques. P.A.V. Thomas and R.J. Rayzak 221
Additions to the z transform table. S.N. Rao 202
Adlem, I., Glass, R.C., Missen, J.I., and Newton, J. Absolute method of measuring the acceleration due to gravity using Doppler radar 63
Aerial arrays, large, new calibration method for. M. Morimoto 192
Aerial, 85ft-diameter, paraboloid, measuring technique used to establish the profile accuracy of. H.E. Pearson 91
Aerial-pattern determination, feasibility of, by processing the near-field signal. J.R. Blakey 298
Aleksander, I. Fused logic element which learns by example 173
Aleksander, I. Switching speed of a transistor used as an AND gate 87
Algebra for (m, p) switching nets. E.V. Krishnamurthy 58
Allnatt, J.W., and Lewis, N.W. (See Lewis)
Ambroziak, A. Unijunction transistors with tristable current/voltage characteristics 140
Amplification, parametric, in transistors. F.J. Hyde and I. Gok 8
Amplification, parametric, of magnetostatic, magnetoelastic and acoustic waves for microwave delay at room temperature. L.F. Donaghey and F.A. Olson 158
Amplification, space-charge, evidence of Rb–Cd second-kind collision by. E. Badareu, G. Musa and Z. Maris 26
Amplifier, acoustic, power relationships in. L. Solymar and E.A. Ash 241
Amplifier circuits, class A transistor, distortion in. J.B. Izatt 126
Amplifier, d.c. differential, elimination of input current in. W.J. Norman 161
Amplifier, d.c. differential, with very high common-mode rejection. L.J. Herbst 41
Amplifiers, class A transistor, distortion in. E.A. Faulkner and J.C.G. Dawnay 287
Amplifiers, differential transistor, thermal instability in. G.H. de Visme 252
Amplifiers, parametric, detuning effects in. K.L. Hughes, B.S. Lee, D. Lynes and J.D. Pearson 117
Amplifiers, parametric, ion/electron-beam. R.H.C. Newton 236
Amplifiers, slightly detuned synchronous single-circuit, high-frequency pulse rise in. A.K. Smolinski 229
Amplifying devices, electronic, magnetic and dielectric nonparametric, unified approach to. A.B. Goral 15
Errata 115
Analogue computer, solution of hyperbolic differential equations with. J.S. Zielinski 139
Analogue divider and multiplier, simple. B.H. Brown 206
Analogue function generators, single- and two-variable, computer-aided design of. R.J. Golding and K.C. Garner 238
Analogue logic, proof of a switching theorem using. R.H. Wilkinson 137
Analysis of a varactor multiplier without idlers. F.A. Benson and W.F. Winder 210
Analysis of lumped-parameter nonlinear transmission lines. F.A. Benson, J.D. Last and V.I. Zharikov 247
AND gate, switching speed of a transistor used as an. I. Aleksander 87
Anderson, B.D. Proof of the Manley–Rowe relations from quantum considerations 199
Anderson, B.D., Spaulding, D.A., and Newcomb, R.W. Useful time-variable circuit-element equivalences 56
André, B., Simonne, J., Esteve, D., and Giralt, C. (See Giralt)
Angle-modulated waves, spectra in. H.B.S. Brabham 143
Anisotropic and compressible media, effective constitutive parameters for. H.C. Chen and D.K. Cheng 92
Antenna, elliptical loop, radiation resistance of, with constant current in compressible plasma. S.W. Lee and Y.T. Lo 132
Antenna, two-arm thin-wire planar equiangular spiral, current distribution on. S.R. Laxpati and R. Mittra 213
Antennas, loop, thin-wire. M. Boella, C. Cugiani, A. Villa and R. Zich 183
Antennas, radiation resistance of, in anisotropic media. R. Mittra 258
Antoniou, A. Negative-impedance convertors using operational amplifiers 88
Antoniou, A. New active RC synthesis procedure using negative-impedance convertors 203
Approximate describing function for double-valued nonlinearities. L.E. McBride 72
Array, circular, series-fed. D.E.N. Davies and R.G. Fenby 264
Array, end-fire, of virtual acoustic sources produced by the interaction of cylindrically spreading acoustic waves. H.O. Berktay and B.V. Smith 202
Array, surface-wave, at 20Mc/s, far-field polar patterns of. J.F. Ward 195
Ash, E.A., and Solymar, L. (See Solymar)
Attenuation coefficient of millimetre-wave two-wire surface-wave transmission lines. D. Simonich and T.K. Ishii 144
Aubrun, J.N. Detection of recurrent signals in noise by phosphorescent memory 163
Auchterlonie, L. Emission of microwaves from InSb 262
Automatic speed/time recorder utilising the principle of the stroboscope. C.L. Beevers and T. Ffoulkes 42
Azimuthal propagation in a nonuniform concentric cylindrical waveguide with application to the Earth-ionosphere waveguide. R.L. Gallawa 280

B

Badareu, E., Musa, G., and Maris, Z. Evidence of Rb–Cd second-kind collision by space-charge amplification 26
Bandler, J.W. Practical stability criterion for tunnel-diode circuits 262
Barham, R.A. Transistorised lightning-flash counter 173
Barlow, H.E.M., Effemey, H.G., and Taheri, S.H. Practical low-loss waveguide for long-distance telecommunications 14
Barnes, F.S., and Gerdine, M. (See Gerdine)
Base resistance in silicon planar transistors. M.J. Gay 212
Bass, J.C. Transverse electron-beam wave excitation by photoelectric mixing of laser beams 38
Bates, C., and Mittra, R. Plane-wave spectrum representation of a field in a magnetoionic medium due to a plane distribution of source currents 74
Bates, R.H.T. Estimating the length of a compact function from a noisy measurement of the modulus of its Fourier transform 279
Beck, A.H.W., and Maloney, C.E. Regeneration of poisoned bariated-nickel cathodes by heating in hydrogen 169
Beddow, A.J., and Brignell, J.E. Breakdown time lags in a dielectric liquid 253
Beevers, C.L., and Ffoulkes, T. Automatic speed/time recorder utilising the principle of the stroboscope 42
Bell, D.A. Switching nets and electronic logic circuits 102
Belusica, I., and Cartianu, G. (See Cartianu)
Bennett, R.G., Staniforth, J.A., and Calderwood, J.H. (See Staniforth)
Benson, F.A., Cooke, R.A., and Holmes, R. Harmonic generation using an electrodeless discharge 155
Benson, F.A., Last, J.D., and Zharikov, V.I. Analysis of lumped-parameter nonlinear transmission lines 247
Benson, F.A., and Winder, W.F. Analysis of a varactor multiplier without idlers 210
Berktay, H.O., and Smith, B.V. End-fire array of virtual acoustic sources produced by the interaction of cylindrically spreading acoustic waves 202
Berktay, H.O., and Smith, B.V. End-fire array of virtual sound sources arising from the interaction of sound waves 6
Biasing of silicon transistors. J.H. Simpson 33
Bibby, M.M., Toubelis, B.J., and Carter, G. Ionisation and dissociation in CF_4 50
Bichara, M.R.E. Microwave measurement of resistivity 174
Biernson, G., and Snyder, A.W. Electromagnetic effects in the cones of the human retina 89
Binary coding system, low-disparity. R.O. Carter 67
Binary counter circuit, new. A Richardson and R.C. Foss 273
Binary sequences, maximal-length, delayed versions of. A.C. Davies 61
Blakey, J.R. Feasibility of aerial-pattern determination by processing the near-field signal 298
Bodfish, E., and Krishnamurthy, E.V. (See Krishnamurthy)
Bodner, H.A., and Mitra, S.K. Active all-pass network 98
Boella, M., Cugiani, C., Villa, A., and Zich, R. Thin-wire loop antennas 183
Bogner, R.E. New relay correlation method 53
Bounds on two-element-kind impedance functions. T.S. Huang 29
Brabham, H.B.S. Spectra in angle-modulated waves 143
Bramley, A. Short-wave radiation pattern emitted by a slab with a periodically modulated refractive index 287
Bray, W.J. Improved performance of the Goonhilly satellite-communication earth-station aerial system 108
Breakdown time lags in a dielectric liquid. A.J. Beddow and J.E. Brignell 253
Bridge phase modulator with great phase deviation. G. Cartianu and I. Belusica 294
Brignell, J.E., and Beddow, A.J. (See Beddow)
Brock-Nannestad, L. Determination of the electric conductivity of the seabed in shallow waters with varying conductivity profile 274
Brown, B.H. Simple analogue divider and multiplier 206
Brown, J. Proof of the Manley–Rowe relations from quantum considerations 23, 129, 199
Brown, R.F. Online digital prediction and control of the output of a linear time-varying system 220
Brunton, R.H., and Moroney, W.J. (See Moroney)
Bunn, A.K., Clarricoats, P.J.B., and Hannaford, C.D. (See Clarricoats)
Butcher, P.N., and Hilsum, C. Domain configurations in transferred-electron oscillators 286
Bylanski, P. Efficient encoding of facsimile using an adaptive technique 72

C

C.W. X and Kband radiation from GaAs epitaxial layers. C. Hilsum, K.C.H. Smith, B.C. Taylor and J.R. Knight 178
Calculations on a method for measurements of capacitance changes. J.C. Price 269
Calderwood, J.H., Staniforth, J.A., and Bennett, R.G. (See Staniforth)
Camera tubes, image-orthicon, photoelectric emission from the target in. W. Hopmann 25
Capacitance changes, calculations on a method for measurements of. J.C. Price 269
Carlin, H.J. Energy transport and the scattering matrix 57
Carroll, J.E. Domain stability in the Gunn effect 189
Carter, G., Toubelis, B.J., and Bibby, M.M. (See Bibby)

Carter, R. O. Low-disparity binary coding system 67
Cartianu, G., and Belusica, I. Bridge phase modulator with great phase deviation 294
Cascade of simple commensurate uniformly distributed RC four-port unit elements. J. D. Rhodes 281
Cassir, G., and Graupe, D. (See Graupe)
Cathodes, bariated-nickel, poisoned, regeneration of, by heating in hydrogen. A. H. W. Beck and C. E. Maloney 169
Cavities, resonant, field-strength measurements in, by perturbation theory. C. Scaglia 200
CF_4, ionisation and dissociation in. M. M. Bibby, B. J. Toubelis and G. Carter 50
Chang, W. S. C., and Williams, R. A. (See Williams)
Chappell, A. D., and Young, M. R. P. Effect of collector voltage and collector current on junction temperature 259
Characteristic function of weakly fading signals, useful approximation for the. R. Esposito 66
Characteristics of silicon transistors. E. A. Faulkner and J. C. G. Dawnay 224
Chebyshev filters, active. A. G. J. Holt and R. Linggard 130
Chen, H. C., and Cheng, D. K. Effective constitutive parameters for anisotropic and compressible media 92
Chen, H. C., and Cheng, D. K. Macroscopic characterisation of a two-fluid anisotropic warm plasma 277
Cheng, D. K. and Chen, H. C. (See Chen)
Christemov, D. M., and Penchev, P. R. (See Penchev)
Circuit analysis, general, by computer—an aid to wideband negative-feedback-amplifier design. D. Thomson 101
Circuit-element equivalences, useful time-variable. B. D. Anderson, D. A. Spaulding and R. W. Newcomb 56
Circuits, automatic-gain-control, reducing nonlinear distortion due to. R. McFee and S. Dick 102
Circulator, X band 3-port, extremely high-power. E. Wantuch 45
Circulators, wideband waveguide, theoretical design of. J. B. Davies 60
Clarricoats, P. J. B., and Slinn, K. R. Complex modes of propagation in dielectric-loaded circular waveguide 145
Clarricoats, P. J. B., Hannaford, C. D., and Bunn, A. K. Proposed microwave delay lines for pulse-compression radar 175
Coastline, nature of the electromagnetic field reflected from a. J. R. Wait 65
Coaxial noise sources, standardisation of. A. C. Gordon-Smith and J. A. Lane 7
Cobbold, R. S. C. Equivalent circuit and inter-gate capacitance of four-terminal field-effect transistors 30
Coils, finite cylindrical, fields of. A. W. Snyder 62
Collins, J. H., and Neilson, G. G. Microwave pulse compression utilising an yttrium-iron-garnet delay line 234
Collins, J. H., and Yazgan, B. Delay modes in thick single-crystal yttrium-iron-garnet discs 77
Collins, J. H., and Yazgan, B. Enhancement of delay spectra in single-crystal yttrium-iron garnet by polycrystalline samples 149
Collins, M. M. C., and Meek, J. M. (See Meek)
Collisions, influence of, on whistler propagation. P. Hedvall and L. Sjögren 54
Colour-television-system parameters. G. B. Townsend 10
Communication-satellite systems, evolutionary medium-altitude. D. I. Dalgleish and A. K. Jefferis 37
Comparison of three methods of multivariable-system identification using p.r.b.s. B. J. Williams 235
Complementary composite transistors, stable and unstable operation of. B. Stuttard 80
Complex cascade programming and associated computational errors. J. B. Knowles and R. Edwards 160
Complex modes of propagation in dielectric-loaded circular waveguide. P. J. B. Clarricoats and K. R. Slinn 145
Computer-aided design of single- and two-variable analogue function generators. R. J. Golding and K. C. Garner 238
Conductivity, electric, of the seabed in shallow waters, determination of, with varying conductivity profile. L. Brock-Nannestad 274
Control system, adaptive optimally switched, using digital techniques. P. A. V. Thomas and R. J. Rayzak 221
Control system, adaptive, utilising sampling techniques and Aitken's approximation. D. Graupe and G. Cassir 120
Control systems, stability of, with time delay. S. N. Rao and M. D. Srinath 219
Controllable piecewise-linear lumped neuristor realisation. H. Kunov 134
Convergence of the E–H tuner. A. L. Cullen 55
Convertor, negative-impedance, direct-coupled. D. P. Franklin 1
Convertors, negative-impedance, new subclass of, with improved gain-product sensitivities. B. R. Myers 68
Convertors, negative-impedance, some new. S. S. Hakim 9
Convertors, negative-impedance, using operational amplifiers. A. Antoniou 88
Cooke, R. A., Holmes, R., and Benson, F. A. (See Benson)
Cookson, A. H., and Ward, B. W. Townsend's first ionisation coefficient in compressed methane 83
Cornbleet, S. Monopulse combining network 158
Courtney, W. E. Effect of domain structure in cubic ferromagnets 21
Courtney, W. E. Phonon parallel-pump instability in the (110) plane of a ferromagnetic crystal 113
Craggs, J. D., and Prasad, A. N. (See Prasad)
Cremin, A. A., and Sexton, M. C. Frequency-modulated technique for the study of the Tonks-Dattner resonances 297
Crocker, A., Wills, M. S., and Mathias, L. E. S. (See Mathias)
Crystal mixer, microwave, image power in. H. J. O'Neill 17
Cuccia coupler, negative absorption from weakly relativistic electrons traversing. T. W. Hsu and P. N. Robson 84
Cugiani, C., Villa, A., Zich, R., and Boella, M. (See Boella)
Cullen, A. L. Convergence of the E–H tuner 55
Current distribution on a two-arm thin-wire planar equiangular spiral antenna. S. R. Laxpati and R. Mittra 213
Current-switching half adder. S. Morelli and R. Stefanelli 297

D

D.C. differential amplifier with very high common-mode rejection. L. J. Herbst 41
Dalgleish, D. I., and Jefferis, A. K. Evolutionary medium-altitude communication-satellite systems 37
Damon, R. W., Grace, M. I., and Van de Vaart, H. (See Van de Vaart)
Daugherty, D. G. Transistor input distortion and emitter degeneration 274
Davies, A. C. Delayed versions of maximal-length linear binary sequences 61
Davies, A. C. Further notes on delayed versions of linear binary sequences 190
Davies, D. E. N., and Fenby, R. G. Series-fed circular array 264
Davies, D. E. N. Frequency-modulated oscillator with a stable centre frequency 1
Davies, J. B. Theoretical design of wideband waveguide circulators 60
Dawnay, J. C. G., and Faulkner, E. A. (See Faulkner)
Dawsay, J. R., and Wray, F. (See Wray)
Delay calculator, logic p.r.b.s., and delayed-version generator with automatic delay-changing facility. A. B. Gardiner 123
Delay line, lumped, frequency response of, having frequency-dependent series resistance. A. R. Owens and E. W. Roberts 167
Delay line, yttrium–iron-garnet, microwave pulse compression utilising. J. H. Collins and G. G. Neilson 234
Delay lines, microwave, proposed, for pulse-compression radar. P. J. B. Clarricoats, C. D. Hannaford and A. K. Bunn 175
Delay lines, permanent-storage magneto-strictive, p.c.m. encoder and decoder using. A. M. Rosie 225
Delay modes in thick single-crystal yttrium–iron-garnet discs. J. H. Collins and B. Yazgan 77
Delay spectra in single-crystal yttrium-iron garnet, enhancement of, by polycrystalline samples. J. H. Collins and B. Yazgan 149
Delayed-version generator with automatic delay-changing facility, logic p.r.b.s. delay calculator, and. A. B. Gardiner 123
Delayed versions of maximal-length linear binary sequences. A. C. Davies 61
Delpech, J. F. Modulation of a helium-neon laser by the light of a helium discharge 168
Derivation of n-ports with prescribed insertion-loss characteristics from known 2-ports. C. V. Shaffer 206
Describing function, approximate, for double-valued nonlinearities. L. E. McBride 72
Design of tunable combline filters of near-constant bandwidth. W. L. Jones 156
Detection of recurrent signals in noise by phosphorescent memory. J. N. Aubrun 163
Detectors, millimetre-wave, p–n junction diodes as. D. Walsh and K. Pearson 240
Determination of electron drift velocity in a gaseous discharge from Doppler shifts of plasma waves. B. Keržar and P. Weissglas 43
Determination of the electric conductivity of the seabed in shallow waters with varying conductivity profile. L. Brock-Nannestad 274
Detuning effects in parametric amplifiers. K. L. Hughes, B. S. Lee, D. Lynes and J. D. Pearson 117
de Visme, G. H. Thermal instability in differential transistor amplifiers 252
Diamond, J. M. Noise-measuring method 231
Dick, S., and McFee, R. (See McFee)
Dielectric-coated cylinder immersed in a plasma, guided waves on a. S. R. Seshadri 19
Dielectric cylinder, semi-infinite, excitation of surface modes along. A. W. Synder 208
Dielectric film, double-layer, electromagnetic wave propagation on a. K. C. Kao 35
Dielectric liquid, breakdown time lags in. A. J. Beddow and J. E. Brignell 253
Dielectric measurements of high-loss liquids in rectangular waveguides. J. A. Staniforth, R. G. Bennett and J. H. Calderwood 4
Differential method for Hall-coefficient measurements in an a.c. magnetic field. H. Rzewuski and Z. Werner 86
Diffraction at two obstacles, propagation measurements at 11Gc/s over a 35km near-optical path involving. A. J. Legg 285
Diffraction, two-dimensional, by slits or strips. Y. Mihara 246
Digital techniques, adaptive optimally switched control system using. P. A. V. Thomas and R. J. Rayzak 221
Diode, p–n junction, simulated by an analogue model, reverse recovery and rectification efficiency of. W. Wunderlin and M. J. O. Strutt 232
Diode, parallel-plane vacuum, small-signal model of. J. S. Linder 141
Diode, superconducting, as high-frequency sound detector. Y. Goldstein, B. Abeles and K. R. Keller 97
Diodes, p-i-n, temperature rise of, from X band pulses. W. J. Moroney and R. H. Brunton 65
Diodes, p–n junction and vacuum, new derivation of the equivalent noise generators of ideal. L. Scott 292
Diodes, varactor, elastance coefficients of. D. L. Hedderly 34
Direct-coupled negative-impedance balanced convertors. A. H. Marshak 142
Direct-coupled negative-impedance convertor. D. P. Franklin 1
Discharge, argon, theoretical and experimental investigation of the spontaneous fluctuations of the infrared radiation of a high-current high-pressure. W. Gubler and M. J. O. Strutt 164
Discharge, electrodeless, harmonic generation using. F. A. Benson, R. A. Cooke, and R. Holmes 155
Discharge, helium, modulation of a helium-neon laser by the light of. J. F. Delpech 168
Discharge, hollow-cathode, in magnetic field. C. Popovici and M. Somesan 31
Distortion in class A transistor-amplifier circuits. J. B. Izatt 126
Distortion in class A transistor amplifiers. E. A. Faulkner and J. C. G. Dawnay 287
Distortion, transistor input, and emitter degeneration. D. G. Daugherty 274
Distributed components, LC ladder used as broadband prototype for. J. S. Seeley 265
Distributed RC networks, frequency response of. J. O. Scanlan and J. D. Rhodes 267
Distribution of average picture levels in television programmes. S. F. Quinn and P. M. Newman 261
Domain configurations in transferred-electron oscillators. P. N. Butcher and C. Hilsum 286
Domain stability in the Gunn effect. J. E. Carroll 189
Domain structure, effect of, in cubic ferromagnets. W. E. Courtney 21
Donaghey, L. F., and Olson, F. A. Parametric amplification of magnetostatic, magneto-elastic and acoustic waves for microwave delay at room temperature 158
Doppler shifts of plasma waves, determination of electron drift velocity in a gaseous discharge from. B. Keržar and P. Weissglas 43
Doppler radar, absolute method of measuring the acceleration due to gravity using. I. Adlem, R. C. Glass, J. I. Missen and J. Newton 63
Double-gate thin-film transistor. D. Abraham and T. A. Poehler 49
Douce, J. L., and Edwards, K. H. Envelope frequency response of networks subjected to a suppressed carrier-modulated input wave 12
Duality theorem, Krishnamurthy and Bodfish's, proof of. G. H. Stearman 123
Duality theorem in combinatorial switching E. V. Krishnamurthy and E. Bodfish 23
Duff, G. L., and Mittra, R. Input impedance of a small loop of uniform electric current in an anisotropic cold plasma 127
Dyadic Green's function for magnetic current source in compressible anisotropic plasma. H. C. Chen and D. K. Cheng 186
Dyott, R. B. Velocity modulation of a supersonic stream of gas—the acoustiklystron 151

E

E–H tuner, convergence of the. A. L. Cullen 55
Eaglesfield, C. C. Resolution of Xray microscopy by hologram 181
Eaglesfield, C. C. Scattering by nearly polished surfaces of Xray and visible radiation 237

Economical long-tail pair with no tail. P. Rhodes 46
Edwards, K. H., and Douce, J. L. (See Douce)
Edwards, R., and Knowles, J. B. (See Knowles)
Effect of collector voltage and collector current on junction temperature. A. D. Chappell and M. R. P. Young 259
Effect of domain structure in cubic ferromagnets. W. E. Courtney 21
Effect of load conductance on the selectivity of notch filters. K. L. Su 217
Effect of pressure and constraint on the apparent electric strength of polythene. N. Parkman, G. F. Goldspink and W. G. Lawson 98
Effect of some component tolerances and measuring errors on noise measurements. D. Merlo, E. W. Houghton and G. J. Halford 250
Effective constitutive parameters for anisotropic and compressible media. H. C. Chen and D. K. Cheng 92
Effects of electron-density distribution on the backscattering from an anisotropic plasma cylinder. C. Yeh and W. V. T. Rusch 25
Effemey, H. G., Taheri, S. H., and Barlow, H. E. M. (See Barlow)
Efficient encoding of facsimile using an adaptive technique. P. Bylanski 72
Elastance coefficients of varactor diodes. D. L. Hedderly 34
Electric fields at electrode surfaces, measurement of. J. M. Meek and M. M. C. Collins 110
Electric strength, apparent, of polythene, effect of pressure and constraint on the. N. Parkman, G. F. Goldspink and W. G. Lawson 98
Electrode surfaces, measurement of electric fields at. J. M. Meek and M. M. C. Collins 110
Electromagnetic effects in the cones of the human retina. G. Biernson and A. W. Snyder 89
Electromagnetic field, nature of the, reflected from a coastline. J. R. Wait 65
Electromagnetic wave propagation on a double-layer dielectric film. K. C. Kao 35
Electron-beam wave excitation, transverse, by photoelectric mixing of laser beams. J. C. Bass 38
Electron densities in a gaseous plasma, surface-wave probe for measuring. P. N. Robson and R. D. Stewart 13
Electron-density distribution, effeets of, on the backscattering from an anisotropic plasma cylinder. C. Yeh and W. V. T. Rusch 25
Electron density in a plasma afterglow, estimate of, from a study of electromagnetic scattering. A. R. Jones and E. R. Wooding 171
Electron detachment in oxygen. A. N. Prasad and J. D. Craggs 118
Electron drift velocity in a gaseous discharge from Doppler shifts of plasma waves, determination of. B. Keržar and P. Weissglas 43
Electron-velocity distribution in low-noise guns, three-dimensional analysis of. P. A. Lindsay 32
Electrons, weakly relativistic, negative absorption from, traversing a Cuccia coupler. T. W. Hsu and P. N. Robson 84
Electrostatic mass spectrometer for analysis of plasma densities. H. Hartnagel 4
Elimination of input current in a differential d.c. amplifier. W. J. Norman 161
Emission of microwaves from InSb. L. Auchterlonie 262
Encoding, efficient, of facsimile, using an adaptive technique. P. Bylanski 72
End-fire array of virtual acoustic sources produced by the interaction of cylindrically spreading acoustic waves. H. O. Berktay and B. V. Smith 202
End-fire array of virtual sound sources arising from the interaction of sound waves. H. O. Berktay and B. V. Smith 6
Energy transport and the scattering matrix. H. J. Carlin 57
Enhancement of delay spectra in single-crystal yttrium-iron garnet by polycrystalline samples. J. H. Collins and B. Yazgan 149
Envelope detection of optical signals, figure of merit for. D. J. Roulston 125
Envelope frequency response of networks subjected to a suppressed carrier-modulated input wave. J. L. Douce and K. H. Edwards 12
Equivalences, useful time-variable circuit-element. B. D. Anderson, D. A. Spaulding and R. W. Newcomb 56
Equivalent circuit and intergate capacitance of four-terminal field-effect transistors. R. S. C. Cobbold 30
Erdei, M. Multiwinding ideal transformers as multiport components 197
Esposito, R. Useful approximation for the characteristic function of weakly fading signals 66
Esteve, D., Giralt, C., André, B., and Simonne, J. (See Giralt)
Estimate of the electron density in a plasma afterglow from a study of electromagnetic scattering. A. R. Jones and E. R. Wooding 171
Estimating regions of asymptotic stability using non-sign-definite Lyapunov functions. F. Fallside and M. R. Patel 114
Estimating the length of a compact function from a noisy measurement of the modulus of its Fourier transform. R. H. T. Bates 279
Evidence of Rb–Cd second-kind collision by space-charge amplification. E. Badareu, G. Musa and Z. Maris 26
Evolutionary medium-altitude communication-satellite systems. D. I. Dalgleish and A. K. Jefferis 37
Excitation of surface modes along a semi-infinite dielectric cylinder. A. W. Snyder 208
Experimental 1kW c.w. helix travelling-wave tube for 5-10 Gc/s. F. Wray and J. R. Dawsay 226
Extremely high-power X band 3-port circulator. E. Wantuch 45

F

F. M. signals, random binary, power spectra and power distributions of, with premodulation shaping. T. T. Tjhung 176
Facsimile, efficient encoding of, using an adaptive technique. P. Bylanski 72
Factorable synthesis of Mealy–Moore sequential machines. L. G. McCracken 108
Fallside, F., and Patel, M. R. Estimating regions of asymptotic stability using non-sign-definite Lyapunov functions 114
Far-field polar patterns of a surface-wave array at 20Mc/s. J. F. Ward 195
Farrell, P. G., and Watkins, M. L. Low-frequency gyrator realisation 119
Faulkner, E. A., and Dawnay, J. C. G. Characteristics of silicon transistors 224
Faulkner, E. A., and Dawnay, J. C. G. Distortion in class A transistor amplifiers 287
Feasibility of aerial-pattern determination by processing the near-field signal. J. R. Blakey 298
Feedback-shift-register connection, new criterion for. E. Wanke 290
Feedback system, inductive, reduction of magnetic-field fluctuations by. M. Abignoli 150
Feedback systems, single-amplifier double-ladder, table for the voltage transfer functions of. A. G. J. Holt and J. I. Sewell 70
Fenby, R. G., and Davies, D. E. N. (See Davies)
Ferrite storage cores, mechanism of heat loss from, in still air. B. R. Hearn 276
Ferromagnetic crystal, phonon parallel-pump instability in the (110) plane of a. W. E. Courtney 113
Ferromagnets, cubic, effect of domain structure in. W. E. Courtney 21
Ffoulkes, T., and Beevers, C. L. (See Beevers)
Field-effect transistors, 4-terminal, arbitrarily doped, simple derivation of a small-signal equivalent circuit for. F. A. Lindholm and P. R. Gray 254
Field-effect transistors, four-terminal, equivalent circuit and intergate capacitance of. R. S. C. Cobbold 30
Field-effect transistors, 4-terminal, symbolic representation of charge-capacitance effects in. F. A. Lindholm and P. R. Gray 255
Field emission at 9000 Gc/s in a superconducting cavity. H. Zimmer 24
Errata 115
Fields of finite cylindrical coils. A. W. Snyder 62
Field-strength measurements in resonant cavities by perturbation theory. C. Scaglia 200
Figure of merit for envelope detection of optical signals. D. J. Roulston 125
Filipkowski, A. New transistor follower circuit 105
Filter, optimum-sensitivity active RC bandpass. L. P. Huelsman 226
Filters, Chebyshev, active. A. G. J. Holt and R. Linggard 130
Filters, notch, effect of load conductance on the selectivity of. K. L. Su 217
Filters, notch, selectivity of, using nonuniform RC lines K. L. Su 204
M. J. Gay 293
Filters, tunable combline, of near-constant bandwidth, design of. W. L. Jones 156
Fiok, A. Transmission methods of measurement of the poles and zeros of two-terminal networks 20
Forward characteristics of heterojunctions. P. C. Newman 265
Foss, R. C., and Richardson, A. (See Richardson)
Foster form, realisation of, by transformation methods, necessary and sufficient conditions for. L. P. Huelsman and R. T. Stefani 231
Foster-type time-varying lossless synthesis. D. A. Spaulding 248
Fourier transform, estimating the length of a compact function from a noisy measurement of the modulus of. R. H. T. Bates 279
Foxell, C. A. P., Summers, J. G., and Wilson, K. Surface-oriented Gunn-effect oscillator 217
Franklin, D. P. Direct-coupled negative-impedance convertor 1
Frequency-discriminator circuit, new. J. Willis 194
Frequency-diversity performance of a ground-surveillance radar. P. L. Waters 282
Frequency-modulated oscillator with a stable centre frequency. D. E. N. Davies 1
Frequency-modulated technique for the study of the Tonks-Dattner resonances. A. A. Cremin and M. C. Sexton 297
Frequency response, envelope, of networks subjected to a suppressed carrier-modulated input wave. J. L. Douce and K. H. Edwards 12
Frequency response of a lumped delay line having frequency-dependent series resistance. A. R. Owens and E. W. Roberts 167
Frequency response of distributed RC networks. J. O. Scanlan and J. D. Rhodes 267
Function generators, analogue, single- and two-variable, computer-aided design of. R. J. Golding and K. C. Garner 238
Further notes on delayed versions of linear binary sequences. A. C. Davies 190
Further remarks on boundary conditions of plasma models in a bounded region. S. W. Lee, C. Liang, and Y. T. Lo 215
Further remarks on the transfer matrix of a linear dynamic system. H. H. Rosenbrock 239
Fused logic element which learns by example. I. Aleksander 173

G

GaAs epitaxial layers, c.w. X and Kband radiation from. C. Hilsum, K. C. H. Smith, B. C. Taylor and J. R. Knight 178
Gain/phase data, transfer-function evaluation from. N. G. Meadows 3
Gallawa, R. L. Azimuthal propagation in a nonuniform concentric waveguide with application to the Earth-ionosphere waveguide 280
Gardiner, A. B. Logic p.r.b.s. delay calculator and delayed-version generator with automatic delay-changing facility 123
Garner, K. C., and Golding, R. J. (See Golding)
Gas discharges, pulsed, in compounds of hydrogen, carbon and nitrogen, laser oscillations at submillimetre wavelengths from. L. E. S. Mathias, A. Crocker and M. S. Wills 45
Errata 115
Gas discharges, spontaneous radiation-emission fluctuations of, and their measurement using a suitable radiation detector. W. Gubler and M. J. O. Strutt 152
Gay, M. J. Base resistance in silicon planar transistors 212
Gay, M. J. Selectivity of notch filters using nonuniform RC lines 293
General circuit analysis by computer—an aid to wideband negative-feedback-amplifier design. D. Thomson 101
Generalised transfer function of injection-type transistor. A. B. Góral 228
Generation of a random two-state waveform from a semiconductor microplasma. J. Logan 136
Gerdine, M., and Barnes, F. S. High-frequency tunnel-diode oscillations using a new parallel-strip point-contact diode mount 75
Gething, P. J. D., Morgan, A. D., Shepherd, E. G., and Tibble, D. V. Wave-tilt measurements of ground properties 106
Giralt, C., André, B., Simonne, J., and Esteve, D. Influence de la température sur les dispositifs semiconducteurs du type m.o.s. (Thermal drift of m.o.s. devices) 185
Glass, R. C., Missen, J. I., Newton, J., and Adlem, I. (See Adlem)
Gok, I., and Hyde, F. J. (See Hyde)
Golding, R. J., and Garner, K. C. Computer-aided design of single- and two-variable analogue function generators 238
Goldspink, G. F., Parkman, N., and Lawson, W. G. (See Parkman)
Goldstein, Y., Abeles, B., and Keller, K. R. Superconducting diode as high-frequency sound detector 97
Góral, A. B. Generalised transfer function of injection-type transistor 228
Góral, A. B. Unified approach to electronic, magnetic and dielectric nonparametric amplifying devices 15
Errata 115
Gordon-Smith, A. C., and Lane, J. A. Standardisation of coaxial noise sources 7
Gorski-Popiel, J. RC active networks 288
Grace, M. I., Damon, R. W., and Van de Vaart, H. (See Van de Vaart)
Graupe, D., and Cassir, G. Adaptive control system utilising sampling techniques and Aitken's approximation 120
Gray, P. R., and Lindholm, F. A. (See Lindholm)
Ground properties, wave-tilt measurements of. P. J. D. Gething, A. D. Morgan, E. G. Shepherd and D. V. Tibble 106
Gubler, W., and Strutt, M. J. O. Spontaneous radiation-emission fluctuations of gas discharges and their measurement using a suitable radiation detector 152

Gubler, W., and Strutt, M. J. O. Theoretical and experimental investigation of the spontaneous fluctuations of the infrared radiation of a high-current high-pressure argon discharge 164
Guided waves on a dielectric-coated cylinder immersed in a plasma. S. R. Seshadri 19
Gunn effect, domain stability in the. J. E. Carroll 189
Gunn-effect oscillator, surface-oriented. C. A. P. Foxell, J. G. Summers and K. Wilson 217
Guns, low-noise, three-dimensional analysis of electron-velocity distribution in. P. A. Lindsay 32
Gyrator realisation, low-frequency. P. G. Farrell and M. L. Watkins 119
Gyrators, grounded, method of replacing ungrounded inductors by. A. G. J. Holt and J. Taylor 105

H

Hakim, S. S. Some new negative-impedance convertors 9
Half adder, current-switching. S. Morelli and R. Stefanelli 297
Halford, G. J., Merlo, D., and Houghton, E. W. (See Merlo)
Hall-coefficient measurements in an a.c. magnetic field, differential method for. H. Rzewuski and Z. Werner 86
Hannaford, C. D., Bunn, A. K., and Clarricoats, P. J. B. (See Clarricoats)
Harmonic generation using an electrodeless discharge. F. A. Benson, R. A. Cooke, and R. Holmes 155
Hartnagel, H. Electrostatic mass spectrometer for analysis of plasma densities 4
Hartnagel, H. Plasma densities and conductivities of semiconductor surfaces 283
Hearn, B. R. Mechanism of heat loss from ferrite storage cores in still air 276
Heavy-ion effect on the e. l. f. propagation beneath a lossless anisotropic ionosphere. S. R. Seshadri 79
Hedderly, D. L. Elastance coefficients of varactor diodes 34
Hedvall, P., and Sjögren, L. Influence of collisions on whistler propagation 54
Herbst, L. J. D. C. differential amplifier with very high common-mode rejection 41
Heterojunctions, forward characteristics of. P. C. Newman 265
High-frequency phase detector. S. Tesic 171
High-frequency pulse rise in slightly detuned synchronous single-circuit amplifiers. A. K. Smolinski 229
High-frequency tunnel-diode oscillations using a new parallel-strip point-contact diode mount. M. Gerdine and F. S. Barnes 75
Hilsum, C., and Butcher, P. N. (See Butcher)
Hilsum, C., Smith, K. C. H., Taylor, B. C., and Knight, J. R. C. W. X and Kband radiation from GaAs epitaxial layers 178
Hollow-cathode discharge in magnetic field. C. Popovici and M. Somesan 31
Holmes, R., Cooke, R. A., and Benson, F. A. (See Benson)
Hologram, resolution of Xray microscopy by. C. C. Eaglesfield 181
Holt, A. G. J., and Linggard, R. Active Chebyshev filters 130
Holt, A. G. J., and Sewell, J. I. Table for the voltage transfer functions of single-amplifier double-ladder feedback systems 70
Holt, A. G. J., and Taylor, J. Method of replacing ungrounded inductors by grounded gyrators 105
Hopmann, W. Photoelectric emission from the target in image-orthicon camera tubes 25
Houghton, E. W., Halford, G. J., and Merlo, D. (See Merlo)
Hsu, T. W., and Robson, P. N. Negative absorption from weakly relativistic electrons traversing a Cuccia coupler 84
Huang, T. S. Bounds on two-element-kind impedance functions 29
Huelsman, L. P., and Stefani, R. T. Necessary and sufficient conditions for the realisation of a Foster form by transformation methods 231
Huelsman, L. P. Optimum-sensitivity active RC bandpass filter 226
Hughes, K. L., Lee, B. S., Lynes, D., and Pearson, J. D. Detuning effects in parametric amplifiers 117
Hupert, J. J. Natural modes of partitioned networks in analysis and synthesis of transfer functions 52
Hyde, F. J., and Gok, I. Parametric amplification in transistors 8
Hyperbolic RC transmission line. K. L. Su 59

I

Image-convertor high-speed shutter in the range of $T = 5 \times 10^{-11}$ s. E. H. Strohwald 18
Image-orthicon camera tubes, photoelectric emission from the target in. W. Hopmann 25
Image power in a microwave crystal mixer. H. J. O'Neill 17
Impedance characteristics, derivation of, for use in power-system protection, sampling techniques applied to. P. G. McLaren and J. S. McConnach 10
Impedance functions, two-element-kind, bounds on. T. S. Huang 29
Impedance synthesis, lossless time-varying. D. A. Spaulding 165
Improved performance of the Goonhilly satellite-communication earth-station aerial system. W. J. Bray 108
Improved tunnel-diode pulse former. L. J. Herbst 43
Inconsistency of boundary conditions of plasma models in a bounded region. S. W. Lee, C. Liang and Y. T. Lo 128
Inductors, ungrounded, method of replacing by grounded gyrators. A. G. J. Holt and J. Taylor 105
Influence de la température sur les dispositifs semiconducteurs du type m. o. s. (Thermal drift of m. o. s. devices). C. Giralt, B. André, J. Simonne and D. Esteve 185
Influence of collisions on whistler propagation. P. Hedvall and L. Sjögren 54
Infrared radiation of a high-current high-pressure argon discharge, theoretical and experimental investigation of the spontaneous fluctuations of the. W. Gubler and M. J. O. Strutt 164
Input impedance of a small loop of uniform electric current in an anisotropic cold plasma. G. L. Duff and R. Mittra 127
InSb, emission of microwaves from. L. Auchterlonie 262
Invertor, tunnel-diode, for Ripple I and II. S. M. Third 94
Ion/electron-beam parametric amplifiers. R. H. C. Newton 236
Ionisation and dissociation in CF_4. M. M. Bibby, B. J. Toubelis and G. Carter 50
Ionisation chamber, saturated, a. c. response of. G. C. Thomas 199
Ionisation coefficient, Townsend's first, in compressed methane. A. H. Cookson and B. W. Ward 83
Ionosphere, lossless anisotropic, heavy-ion effect on the e. l. f. propagation beneath a. S. R. Seshadri 79
Ishii, T. K., and Simonich, D. (See Simonich)
Isotope-powered thermoelectric generator for Ripple I. J. M. Thomson 93
Izatt, J. B. Distortion in class A transistor-amplifier circuits 126

J

Jefferis, A. K., and Dalgleish, D. I. (See Dalgleish)
Jelonek, Z. J., and Senior, R. A. (See Senior)
Johnson, E. A. Touch display—a novel input/output device for computers 219
Jones, A. R., and Wooding, E. R. Estimate of the electron density in a plasma afterglow from a study of electromagnetic scattering 171
Jones, J. M., and Owens, A. R. (See Owens)
Jones, W. L. Design of tunable combline filters of near-constant bandwidth 156
Junction temperature, effect of collector voltage and collector current on. A. D. Chappell and M. R. P. Young 259

K

Kao, K. C. Electromagnetic wave propagation on a double-layer dielectric film 35
Karbowiak, A. E. New type of waveguide for light and infrared waves 47
Karjala, D. S., and Mittra, R. Radiation from some periodic structures excited by a waveguide 111
Kawakami, S. Theory of lossless reciprocal transformation of a reciprocal 2-state network 39
Keller, K. R., Goldstein, Y., and Abeles, B. (See Goldstein)
Keržar, B., and Weissglas, P. Determination of electron drift velocity in a gaseous discharge from Doppler shifts of plasma waves 43
Knight, J. R., Hilsum, C., Smith, K. C. H., and Taylor, B. C. (See Hilsum)
Knott, K. F. Measurement of battery noise and resistor-current noise at subaudio frequencies 132
Knowles, J. B., and Edwards, R. Complex cascade programming and associated computional errors 160
Kohavi, Z. Reduction of the number of states in incompletely specified sequential machines 209
Krishnamurthy and Bodfish's duality theorem, proof of. G. H. Stearman 123
Krishnamurthy, E. V. Algebra for (m, p) switching nets 58
Krishnamurthy, E. V., and Bodfish, E. Duality theorem in combinatorial switching 23
Kunov, H. Controllable piecewise-linear lumped neuristor realisation 134

L

Ladder, LC, used as broadband prototype for distributed components. J. S. Seeley 265
Lane, J. A., and Gordon-Smith, A. C. (See Gordon-Smith)
Laser beams, photoelectric mixing of, transverse electron-beam wave excitation by. J. C. Bass 38
Laser, helium-neon, modulation of, by the light of a helium discharge. J. F. Delpech 168
Laser oscillations at submillimetre wavelengths from pulsed gas discharges in compounds of hydrogen, carbon and nitrogen. L. E. S. Mathias, A. Crocker and M. S. Wills 45
Errata 115
Last, J. D., Benson, F. A., and Zharikov, V. I. (See Benson)
Lawson, W. G., Parkman, N., and Goldspink, G. F. (See Parkman)
Laxpati, S. R., and Mittra, R. Current distribution on a two-arm thin-wire planar equiangular spiral antenna 213
LC ladder used as broadband prototype for distributed components. J. S. Seeley 265
Lee, B. S., Lynes, D., Pearson, J. D., and Hughes, K. L. (See Hughes)
Lee, S. W., Liang, C., and Lo, Y. T. Further remarks on boundary conditions of plasma models in a bounded region 215
Lee, S. W., Liang, C., and Lo, Y. T. Inconsistency of boundary conditions of plasma models in a bounded region 128
Lee, S. W., and Lo, Y. T. Radiation resistance of an elliptical loop antenna with constant current in compressible plasma 132
Legg, A. J. Propagation measurements at 11Gc/s over a 35km near-optical path involving diffraction at two obstacles 285
Lemco, I. Resistive-film milliwattmeter for 2. 7-3. 9 Gc/s 100
Levy, R., Scanlan, J. O., and Rhodes, J. D. (See Rhodes)
Lewis, N. W., and Allnatt, J. W. Subjective quality of television pictures with multiple impairments 187
Lian, K. T. Use of screen cathodes to obtain plasma/electromagnetic-wave interaction structures with free plasma boundaries 47
Liang, C., Lo, Y. T., and Lee, S. W. (See Lee)
Lightning-flash counter, transistorised. R. A. Barham 173
Linder, J. S. Small-signal model of the parallel-plane vacuum diode 141
Lindholm, F. A., and Gray, P. R. Simple derivation of a small-signal equivalent circuit for arbitrarily doped 4-terminal field-effect transistors 254
Lindholm, F. A., and Gray, P. R. Symbolic representations of charge-capacitance effects in 4-terminal field-effect transistors 355
Lindsay, P. A. Three-dimensional analysis of electron-velocity distribution in low-noise guns. 32
Linear binary sequences, further notes on delayed versions of. A. C. Davies 190
Linear dynamic system, further remarks on the transfer matrix of. H. H. Rosenbrock 239
Linear dynamic system, transfer matrix of. H. H. Rosenbrock 95
Linear time-varying system, online digital prediction and control of the output of. R. F. Brown 220
Linggard, R., and Holt, A. G. J. (See Holt)
Lo, Y. T., and Lee, S. W. (See Lee)
Lo, Y. T., Liang, C., and Lee, S. W. (See Lee)
Logan, J. Generation of a random two-state waveform from a semiconductor microplasma 136
Logic circuits, electronic, switching nets and. D. A. Bell 102
Logic element, fused, which learns by example. I. Aleksander 173
Logic p. r. b. s. delay calculator and delayed-version generator with automatic delay-changing facility. A. B. Gardiner 123
Long-tail pair, economical, with no tail. P. Rhodes 46
Loss tangent and permittivity of pyrolised polyacrylonitrile fibre. M. Ono, S. Yokokawa and M. Suzuki 137
Lossless time-varying impedance synthesis. D. A. Spaulding 165
Low-current operation of silicon planar transistors. A. R. Owens and J. M. Jones 242
Low-disparity binary coding system. R. O. Carter 67
Low-frequency gyrator realisation. P. G. Farrell and M. L. Watkins 119

Lyapunov functions, non-sign-definite, estimating regions of asymptotic stability using. F. Fallside and M. R. Patel 114
Lynes, D., Pearson, J. D., Hughes, K. L. and Lee, B. S. (See Hughes)

M

M. O. S. devices, thermal drift of. C. Giralt, B. André, J. Simonne and D. Esteve 185
McBride, L. E. Approximate describing function for double-valued non-linearities 72
McConnach, J. S., and McLaren, P. G. (See McConnach)
McCracken, L. G. Factorable synthesis of Mealy–Moore sequential machines 108
McFee, R., and Dick, S. Reducing nonlinear distortion due to automatic-gain-control circuits 102
McLaren, P. G., and McConnach, J. S. Sampling techniques applied to the derivation of impedance characteristics for use in power-system protection 10
McPhun, M. K. Practical stability criterion for tunnel-diode circuits 167, 289
Macroscopic characterisation of a two-fluid anisotropic warm plasma. H. C. Chen and D. K. Cheng 277
Maddex, K. A., and Young, M. R. P. Production of p–n junctions with bulk controlled characteristics 191
Magnetic current source in compressible anisotropic plasma, dyadic Green's function for. H. C. Chen and D. K. Cheng 186
Magnetic elements, method for temperature compensation of. P. R. Penchev and D. M. Christemov 139
Magnetic-field fluctuations, reduction of, by an inductive feedback system. M. Abignoli 150
Magnetoelastic waves, microwave, in y.i.g., parametric amplification of, at room temperature. H. Van de Vaart, M. I. Grace and R. W. Damon 122
Magnetoionic medium, plane-wave spectrum representation of a field in a, due to a plane distribution of source currents. C. Bates and R. Mittra 74
Magnetoplasma cylinder, plane-wave scattering by. S. R. Seshadri 256
Magnetostatic, magnetoelastic and acoustic waves, parametric amplification of, for microwave delay at room temperature. L. F. Donaghey and F. A. Olson 158
Magnetostrictive delay lines, permanent-storage, p. c. m. encoder and decoder using. A. M. Rosie 225
Maloney, C. E., and Beck, A. H. W. (See Beck)
Manley–Rowe relations, proof of, from quantum considerations. J. Brown 23, 129, 199
Maris, Z., Badareu, E., and Musa, G. (See Badareu)
Marshak, A. H. Direct-coupled negative-impedance balanced convertors 142
Marshak, A. H. Ultralinear negative resistance using two complementary junction transistors 96, 155
Mass spectrometer, electrostatic, for analysis of plasma densities. H. Hartnagel 4
Matheau, J. C. Two-terminal-pair network bisection 131
Mathias, L. E. S., Crocker, A., and Wills, M. S. Laser oscillations at submillimeter wavelengths from pulsed gas discharges in compounds of hydrogen, carbon and nitrogen 45
Matrix, changes in, sensitivity of an eigenvalue to. H. H. Rosenbrock 278
Maximal-length linear binary sequences, delayed versions of. A. C. Davies 61
Meadows, N. G. Transfer-function evaluation from gain/phase data 3
Measurement of battery noise and resistor-current noise at subaudio frequencies. K. F. Knott 132
Measurement of capacitance changes, calculations on a method for. J. C. Price 269
Measurement of electric fields at electrode surfaces. J. M. Meek and M. M. C. Collins 110
Measurement of small changes in resistance in the environment of a nuclear reactor. M. M. Ramsay and J. C. Price 182
Measurements, dielectric, of high-loss liquids in rectangular waveguides. J. A. Staniforth, R. G. Bennett and J. H. Calderwood 4
Measuring technique used to establish the profile accuracy of an 85ft-diameter paraboloid aerial. H. E. Pearson 91
Mechanism of heat loss from ferrite storage cores in still air. B. R. Hearn 276
Meek, J. M., and Collins, M. M. C. Measurement of electric fields at electrode surfaces 110
Merlo, D., Houghton, E. W., and Halford, G. J. Effect of some component tolerances and measuring errors on noise measurements 250
Method for temperature compensation of magnetic elements. P. R. Penchev and D. M. Christemov 139
Method of replacing ungrounded inductors by grounded gyrators. A. G. J. Holt and J. Taylor 105
Microwave Brune sections, relisation of. J. D. Rhodes, J. O. Scanlan and R. Levy 268
Microwave comparison radiometer, self-balancing. H. S. Oranc and E. D. R. Shearman 222
Microwave crystal mixer, image power in. H. J. O'Neill 17
Microwave delay lines, proposed, for pulse-compression radar. P. J. B. Clarricoats, C. D. Hannaford and A. K. Bunn 175
Microwave delay, parametric amplification of magnetostatic, magnetoelastic and acoustic waves for, at room temperature. L. F. Donaghey and F. A. Olson 158
Microwave magnetoelastic waves in y. i. g., parametric amplification of at room temperature. H. Van de Vaart, M. I. Grace and R. W. Damon 122
Microwave measurement of resistivity. M. R. E. Bichara 174
Microwave piezoelectric transducer with internal gain. R. B. Wilson 78
Microwave pulse compression utilising an yttrium-iron-garnet delay line. J. H. Collins and G. G. Neilson 234
Microwaves, emission of, from InSb. L. Auchterlonie 262
Mihara, Y. Two-dimensional diffraction by slits or strips 246
Millimetre-wave detectors, p-n junction diodes as. D. Walsh and K. Pearson 240
Millington, G. Riccati form of the wave equation 184
Milliwattmeter, resistive-film, for 2. 7-3. 9 Gc/s. I. Lemco 100
Missen, J. I., Newton, J., Adlem, I., and Glass, R. C. (See Adlem)
Mitra, S. K., and Bodner, H. A. (See Bodner)
Mittra, R., and Bates, C. (See Bates)
Mittra, R., and Duff, G. L. (See Duff)
Mittra, R., and Karjala, D. S. (See Karjala)
Mittra, R., and Laxpati, S. R. (See Laxpati)
Mittra, R. Radiation resistance of antennas in anisotropic media 258
Modes of propagation in a bounded compressible plasma. J. R. Wait 193
Modulation analysis of a. c. servosystems. D. G. O. Morris 63
Modulation of a helium-neon laser by the light of a helium discharge. J. F. Delpech 168
Modulation, velocity, of a supersonic stream of gas - the acoustiklystron. R. B. Dyott 151
Modulator, bridge phase, with great phase deviation. G. Cartianu and I. Belusica 294
Modulator, ring, zero-loss second-order. D. G. Tucker 245
Monopulse combining network. S. Cornbleet 158
Morelli, S., and Stefanelli, R. Current-switching half adder 297
Morgan, A. D., Shepherd, E. G., Tibble, D. V., and Gething, P. J. D. (See Gething)
Morimoto, M. New calibration method for large aerial arrays 192
Moroney, W. H., and Brunton, R. H. Temperature rise of p-i-n diodes from X band pulses 65
Morris, D. G. O. Modulation analysis of a. c. servosystems 63
Multivariable-system identification, comparison of three methods of, using p. r. b. s. B. J. Williams 235
Multiwinding ideal transformers as multi-port components. M. Erdei 197
Musa, G., Maris, Z., and Badareu, E. (See Badareu)
Myers, B. R. New subclass of negative-impedance convertors with improved gain-product sensitivities 68
Myers, B. R. Ultralinear negative resistance using two complementary junction transistors 155

N

Natural modes of partitioned networks in analysis and synthesis of transfer functions. J. J. Hupert 52
Nature of the electromagnetic field reflected from a coastline. J. R. Wait 65
Necessary and sufficient conditions for the realisation of a Foster form by transformation methods. L. P. Huelsman and R. T. Stefani 231
Negative absorption from weakly relativistic electrons traversing a Cuccia coupler. T. W. Hsu and P. N. Robson 84
Negative-impedance convertor, direct-coupled. D. P. Franklin 1
Negative-impedance convertors, direct-coupled, balanced. A. H. Marshak 142
Negative-impedance convertors, new active RC synthesis procedure using. A. Antoniou 203
Negative-impedance convertors, new subclass of, with improved gain-product sensitivities. B. R. Myers 68
Negative-impedance convertors, some new. S. S. Rakim 9
Negative-impedance convertors using operational amplifiers. A. Antoniou 88
Neilson, G. G., and Collins, J. H. (See Collins)
Network, active a. c. phase-advance, transfer function of. D. R. Wilson 162
Network, active all-pass. H. A. Bodner and S. K. Mitra 98
Network bisection, two-terminal-pair. J. C. Matheau 131
Network, monopulse combining. S. Cornbleet 158
Network, reciprocal 2-state, theory of lossless reciprocal transformation of. S. Kawakami 39
Networks, envelope frequency response of, subjected to a suppressed carrier-modulated input wave. J. L. Douce and K. H. Edwards 12
Networks, partitioned, natural modes of, in analysis and synthesis of transfer functions. J. J. Hupert 52
Networks, RC active. J. Gorski-Popiel 288
Networks, RC distributed, frequency response of. J. O. Scanlan and J. D. Rhodes 267
Networks, two-terminal, transmission methods of measurement of the poles and zeros of. A. Fiok 10
Neuristor realisation, controllable piecewise-linear lumped. H. Kunov 134
New active RC synthesis procedure using negative-impedance convertors. A. Antoniou 203
New binary counter circuit. A. Richardson and R. C. Foss 273
New calibration method for large aerial arrays. M. Morimoto 192
New criterion for feedback-shift-register connection. E. Wanke 290
New derivation of the equivalent noise generators of ideal p–n junction and vacuum diodes. L. Scott 292
New frequency-discriminator circuit. J. Willis 194
New relay correlation method. R. E. Bogner 53
New subclass of negative-impedance convertors with improved gain-product sensitivities. B. R. Myers 68
New transistor follower circuit. A. Filipkowski 105
New type of waveguide for light and infrared waves. A. E. Karbowiak 47
Newcomb, R. W. Reference terminations for the scattering matrix 82
Newcomb, R. W., Anderson, B. D., and Spaulding, D. A. (See Anderson)
Newman, P. C. Forward characteristics of heterojunctions 265
Newman, P. M., and Quinn, S. F. (See Quinn)
Newton, J., Adlem, I., Glass, R. C., and Missen, J. (See Adlem)
Newton, R. H. C. Ion/electron-beam parametric amplifiers 236
Noise, battery and resistor-current, at subaudio frequencies, measurement of. K. F. Knott 132
Noise, detection of recurrent signals in, by phosphorescent memory. J. N. Aubrun 163
Noise generators of ideal p–n junction and vacuum diodes, new derivation of the equivalent. L. Scott 292
Noise measurements, effect of some component tolerances and measuring errors on. D. Merlo, E. W. Houghton and G. J. Halford 250
Noise-measuring method. J. M. Diamond 231
Noise sources, coaxial, standardisation of. A. C. Gordon-Smith and J. A. Lane 7
Nonlinear-capacitance devices. A. R. Owens and G. White 49
Nonlinear time-variant systems, solution of, with random inputs. R. A. Senior and Z. J. Jelonek 154
Nonlinear transmission lines, pulse propagation along certain lumped. I. Richer 135
Nonlinearities, double-valued, approximate describing function for. L. E. McBride 72
Nonparametric amplifying devices, electronic, magnetic and dielectric, unified approach to. A. B. Goral 15
Norman, W. J. Elimination of input current in a differential d. c. amplifier 161
Nuclear reactor, measurement of small changes in resistance in the environment of. M. M. Ramsay and J. C. Price 182

O

Olson, F. A., and Donaghey, L. F. (See Donaghey)

O'Neill, H. J. Image power in a microwave crystal mixer 17
Online digital prediction and control of the output of a linear time-varying system. R. F. Brown 220
Ono, M., Yokokawa, S., and Suzuki, M. Permittivity and loss tangent of pyrolised polyacrylonitrile fibre 137
Optical signals, figure of merit for envelope detection of. D. J. Roulston 125
Optimum-sensitivity active RC bandpass filter. L. P. Huelsman 226
Orane, H. S., and Shearman, E. D. R. Self-balancing microwave comparison radiometer 222
Oscillations, high-frequency, tunnel-diode, using a new parallel-strip point-contact diode mount. M. Gerdine and F. S. Barnes 75
Oscillator, frequency-modulated, with a stable centre frequency. D. E. N. Davies 1
Oscillator, Gunn-effect, surface-oriented. C. A. P. Foxell, J. G. Summers and K. Wilson 217
Oscillators, transferred-electron, domain configurations in. P. N. Butcher and C. Hilsum 286
Owens, A. R., and Jones, J. M. Low-current operation of silicon planar transistors 242
Owens, A. R., and Roberts, E. W. Frequency response of a lumped delay line having frequency-dependent series resistance 167
Owens, A. R., and White, G. Nonlinear-capacitance devices 49

P

P. C. M. encoder and decoder using permanent-storage magnetostrictive delay lines. A. M. Rosie 225
P. C. M. systems, speech-transmission performance of D. L. Richards 40
p-n junction and vacuum diodes, ideal, new derivation of the equivalent noise generators of. L. Scott 292
p–n junction diodes as millimetre-wave detectors. D. Walsh and K. Pearson 240
p–n junctions, production of, with bulk controlled characteristics. K. A. Maddex and M. R. P. Young 191
Parameters, system, and response duration, relation between. V. Zakian 293
Parametric amplification of magnetostatic, magnetoelastic and acoustic waves for microwave delay at room temperature. L. F. Donaghey and F. A. Olson 158
Parametric amplification of microwave magnetoelastic waves in y. i. g. at room temperature. H. Van de Vaart, M. I. Grace, and R. W. Damon 122
Parametric amplification in transistors. F. J. Hyde and I. Gok 8
Parametric amplifiers, detuning effects in. K. L. Hughes, B. S. Lee, D. Lynes and J. D. Pearson 117
Parametric amplifiers, ion/electron-beam. R. H. C. Newton 236
Parkman, N., Goldspink, G. F., and Lawson, W. G. Effect of pressure and constraint on the apparent electric strength of polythene 98
Pearson, H. E. Measuring technique used to establish the profile accuracy of an 85ft-diameter paraboloid aerial 91
Pearson, J. D., Hughes, K. L., Lee, B. S., and Lynes, D. (See Hughes)
Pearson, K., and Walsh, D. (See Walsh)
Penchev, P. R., and Christemov, D. M. Method for temperature compensation of magnetic elements 139
Permittivity and loss tangent of pyrolised polyacrylonitrile fibre. M. Ono, S. Yokokawa and M. Suzuki 137
Perturbation theory, field-strength measurements in resonant cavities by. C. Scaglia 200
Phase detector, high-frequency. S. Tesic 171
Phonon parallel-pump instability in the (110) plane of a ferromagnetic crystal. W. E. Courtney 113
Photoelectric emission from the target in image-orthicon camera tubes. W. Hopmann 25
Photoelectric mixing of laser beams, transverse electron-beam wave excitation by. J. C. Bass 38
Pinder, D. N. Slow-wave propagation in a nonuniform plasma 291
Plane-wave scattering by a magnetoplasma cylinder. S. R. Seshadri 256
Plane-wave spectrum representation of a field in a magnetoionic medium due to a plane distribution of source currents. C. Bates and R. Mittra 74
Plasma afterglow, estimate of the electron density in, from a study of electromagnetic scattering. A. R. Jones and E. R. Wooding 171
Plasma, anisotropic cold, input impedance of a small loop of uniform electric current in an. G. L. Duff and R. Mittra 127
Plasma, bounded compressible, modes of propagation in. J. R. Wait 193
Plasma, compressible anisotropic, dyadic Green's function for magnetic current source in. H. C. Chen and D. K. Cheng 186
Plasma, compressible, radiation resistance of an elliptical loop antenna with constant current in. S. W. Lee and Y. T. Lo 132
Plasma cylinder, anisotropic, backscattering from, effects of electron-density distribution on. C. Yeh and W. V. T. Rusch 25
Plasma densities and conductivities of semiconductor surfaces. H. Hartnagel 283
Plasma densities, electrostatic mass spectrometer for analysis of. H. Hartnagel 4
Plasma/electromagnetic-wave interaction structures with free plasma boundaries, use of screen cathodes to obtain. K. T. Lian 47
Plasma, gaseous, surface-wave probe for measuring electron densities in. P. N. Robson and R. D. Stewart 13
Plasma, guided waves on a dielectric-coated cylinder immersed in a. S. R. Seshadri 19
Plasma models, further remarks on boundary conditions of, in a bounded region. S. W. Lee, C. Liang and Y. T. Lo 215
Plasma models, inconsistency of boundary conditions of, in a bounded region. S. W. Lee, C. Liang and Y. T. Lo 128
Plasma, nonuniform, slow-wave propagation in. D. N. Pinder 291
Plasma, warm, two-fluid anisotropic, macroscopic characterisation of. H. C. Chen and D. K. Cheng 277
Plasma waves, Doppler shifts of, determination of electron drift velocity in a gaseous discharge from. B. Keržar and P. Weissglas 43
Poehler, T. O., and Abraham, D. (See Abraham)
Popovici, C., and Somesan, M. Hollow-cathode discharge in magnetic field 31
Power relationships in the acoustic amplifier. L. Solymar and E. A. Ash 241
Power spectra and power distributions of random binary f. m. signals with pre-modulation shaping. T. T. Tjhung 176
Power-system protection, sampling techniques applied to the derivation of impedance characteristics for use in. P. G. McLaren and J. S. McConnach 10
Practical low-loss waveguide for long-distance telecommunications. H. E. M. Barlow, H. G. Effemey and S. H. Taheri 14
Practical stability criterion for tunnel-diode circuits M. K. McPhun 167, 289 J. W. Bandler 262
Prasad, A. N., and Craggs, J. D. Electron detachment in oxygen 118
Price, J. C., and Ramsay, M. M. (See Ramsay)
Price, J. C. Calculations on a method for measurement of capacitance changes 269
Production of p–n junctions with bulk controlled characteristics. K. A. Maddex and M. R. P. Young 191
Programming, complex cascade, and associated computational errors. J. B. Knowles and R. Edwards 160
Proof of a switching theorem using analogue logic. R. H. Wilkinson 137
Proof of Krishnamurthy and Bodfish's duality theorem. G. H. Stearman 123
Proof of the Manley–Rowe relations from quantum considerations. J. Brown 23, 129, 199
Propagation, complex modes of, in dielectric-loaded circular waveguide. P. J. B. Clarricoats and K. R. Slinn 145
Propagation, e. l. f., heavy-ion effect on, beneath a lossless anisotropic ionosphere. S. R. Seshadri 79
Propagation, electromagnetic-wave, on a double-layer dielectric film. K. C. Kao 35
Propagation measurements at 11Gc/s over a 35km near-optical path involving diffraction at two obstacles. A. J. Legg 285
Propagation, whistler, influence of collisions on. P. Hedvall and L. Sjögren 54
Proposed microwave delay lines for pulse-compression radar. P. J. B. Clarricoats, C. D. Hannaford and A. K. Bunn 175
Pulse former, improved tunnel-diode. L. J. Herbst 43
Pulse propagation along certain lumped nonlinear transmission lines. I. Richer 135

Q

Quinn, S. F., and Newman, P. M. Distribution of average picture levels in television programmes 261

R

Radar, ground-surveillance, frequency-diversity performance of. P. L. Waters 282
Radar, pulse-compression, proposed microwave delay lines for. P. J. B. Clarricoats, C. D. Hannaford and A. K. Bunn 175
Radiation, c.w. X and Kband, from GaAs epitaxial layers. C. Hilsum, K. C. H. Smith, B. C. Taylor and J. R. Knight 178
Radiation-emission fluctuations, spontaneous, of gas discharges and their measurement using a suitable radiation detector. W. Gubler and M. J. O. Strutt 152
Radiation from some periodic structures excited by a waveguide. D. S. Karjala and R. Mittra 111
Radiation resistance of an elliptical loop antenna with constant current in compressible plasma. S. W. Lee and Y. T. Lo 132
Radiation resistance of antennas in anisotropic media. R. Mittra 258
Radiometer, microwave comparison, self-balancing. H. S. Orane and E. D. R. Shearman 222
Ramsay, M. M., and Price, J. C. Measurement of small changes in resistance in the environment of a nuclear reactor 182
Rao, S. N. Additions to the z transform table 202
Rao, S. N., and Srinath, M. D. Stability of control systems with time delay 219
Rayzak, R. J., and Thomas, P. A. V. (See Thomas)
Rb–Cd second-kind collision, evidence of, by space-charge amplification. E. Badareu, G. Musa and Z. Maris 26
RC active networks. J. Gorski-Popiel 288
RC four-port unit elements, simple commensurate uniformly distributed, cascade of. J. D. Rhodes 281
RC lines, nonuniform, selectivity of notch filters using K. L. Su 204 M. J. Gay 293
RC synthesis procedure, new active, using negative-impedance convertors. A. Antoniou 203
Reactors, saturable, transients in. D. Schieber 240
Realisation of microwave Brune sections. J. D. Rhodes, J. O. Scanlan and R. Levy 268
Recorder, automatic speed/time, utilising the principle of the stroboscope. C. L. Beevers and T. F. Ffoulkes 42
Reducing nonlinear distortion due to automatic-gain-control circuits. R. McFee and S. Dick 102
Reduction of magnetic-field fluctuations by an inductive feedback system. M. Abignoli 150
Reduction of the number of states in incompletely specified sequential machines. Z. Kohavi 209
Reference terminations for the scattering matrix. R. W. Newcomb 82
Refractive index, periodically modulated, short-wave radiation pattern emitted by a slab with. A. Bramley 287
Regeneration of poisoned bariated-nickel cathodes by heating in hydrogen. A. H. W. Beck and C. E. Maloney 169
Relation between system parameters and response duration. V. Zakian 293
Relay correlation method, new. R. E. Bogner 53
Resistance, measurement of small changes in, in the environment of a nuclear reactor. M. M. Ramsay and J. C. Price 182
Resistive-film milliwattmeter for 2.7–3.9 Gc/s. I. Lemco 100
Resistivity, microwave measurement of. M. R. E. Bichara 174
Resolution of Xray microscopy by hologram. C. C. Eaglesfield 181
Rhodes, J. D., and Scanlan, J. O. (See Scanlan)
Rhodes, J. D. Cascade of simple commensurate uniformly distributed RC four-port unit elements 281
Rhodes, J. D., Scanlan, J. O., and Levy, R. Realisation of microwave Brune sections 268
Rhodes, P. Economical long-tail pair with no tail 46
Reverse recovery and rectification efficiency of a p–n junction diode simulated by an analogue model. W. Wunderlin and M. J. O. Strutt 232
Riccati form of the wave equation. G. Millington 184
Richards, D. L. Speech-transmission performance of p.c.m. systems 40
Richardson, A., and Foss, R. C. New binary counter circuit 273
Richer, I. Pulse propagation along certain lumped nonlinear transmission lines 135
Ring modulator, zero-loss second-order. D. G. Tucker 245
Roberts, E. W., and Owens, A. R. (See Owens)
Robson, P. N., and Hsu, T. W. (See Hsu)
Robson, P. N., and Stewart, R. D. Surface-wave probe for measuring electron densities in a gaseous plasma 13
Rosenbrock, H. H. Further remarks on the transfer matrix of a linear dynamic system 239
Rosenbrock, H. H. Sensitivity of an eigenvalue to changes in the matrix 278
Rosenbrock, H. H. Transfer matrix of a linear dynamic system 95

Rosie, A. M. P.C.M. encoder and decoder using permanent-storage magnetostrictive delay lines 225
Roulston, D. J. Figure of merit for envelope detection of optical signals 125
Rusch, W. V. T., and Yeh, C. (See Yeh)
Rzewuski, H., and Werner, Z. Differential method for Hall-coefficient measurements in an a.c. magnetic field 86

S

Sampling techniques and Aitken's approximation, adaptive control system utilising. D. Graupe and G. Cassir 120
Sampling techniques applied to the derivation of impedance characteristics for use in power-system protection. P. G. McLaren and J. S. McConnach 10
Satellite-communication earth station, Goonhilly, improved performance of the aerial system. W. J. Bray 108
Saturable reactors, transients in. D. Schieber 240
Scaglia, C. Field-strength measurements in resonant cavities by perturbation theory 200
Scanlan, J. O., Levy, R., and Rhodes, J. D. (See Rhodes)
Scanlan, J. O., and Rhodes, J. D. Frequency response of distributed RC networks 267
Scattering by nearly polished surfaces of Xray and visible radiation. C. C. Eaglesfield 237
Scattering matrix, energy transport and the. H. J. Carlin 57
Scattering matrix, reference terminations for the. R. W. Newcomb 82
Scattering, plane-wave, by a magnetoplasma cylinder. S. R. Seshadri 256
Schieber, D. Transients in saturable reactors 240
Scott, L. New derivation of the equivalent noise generators of ideal p–n junction and vacuum diodes 292
Screen cathodes, use of, to obtain plasma/electromagnetic-wave interaction structures with free plasma boundaries. K. T. Lian 47
Seabed, determination of the electric conductivity of, in shallow waters with varying conductivity profile. L. Brock-Nannestad 274
Seeley, J. S. LC ladder used as broadband prototype for distributed components 265
Selectivity of notch filters using nonuniform RC lines
K. L. Su 204
M. J. Gay 293
Self-balancing microwave comparison radiometer. H. S. Oranc and E. D. R. Shearman 222
Semiconductor microplasma, generation of a random two-state waveform from. J. Logan 136
Semiconductor surfaces, plasma densities and conductivities of. H. Hartnagel 283
Senior, R. A., and Jelonek, Z. J. Solution of nonlinear time-variant systems with random inputs 154
Sensitivity of an eigenvalue to changes in the matrix. H. H. Rosenbrock 278
Sequential machines, incompletely specified, reduction of the number of states in. Z. Kohavi 209
Sequential machines, Mealy–Moore, factorable synthesis of. L. G. McCracken 108
Series-fed circular array. D. E. N. Davies and R. G. Fenby 264
Servosystems, a.c., modulation analysis of. D. G. O. Morris 63
Seshadri, S. R. Guided waves on a dielectric-coated cylinder immersed in a plasma 19
Seshadri, S. R. Heavy-ion effect on the e.l.f. propagation beneath a lossless anisotropic ionosphere 79
Seshadri, S. R. Plane-wave scattering by a magnetoplasma cylinder 256
Sewell, J. I., and Holt, A. G. J. (See Holt)
Sexton, M. C., and Cremin, A. A. (See Cremin)
Shaffer, C. V. Derivation of n-ports with prescribed insertion-loss characteristics from known 2-ports 206
Shearman, E. D. R., and Oranc, H. S. (See Oranc)
Shepherd, E. G., Tibble, D. V., Gething, P. J. D., and Morgan, A. D. (See Gething)
Short-wave radiation pattern emitted by a slab with a periodically modulated refractive index. A. Bramley 287
Shutter, image-convertor, high speed, in the range of $T = 5 \times 10^{-11}$s. E. H. Strohwald 18
Signals, weakly fading, useful approximation for the characteristic function of. R. Esposito 66
Silicon planar transistors, low-current operation of. A. R. Owens and J. M. Jones 242
Silicon transistors, characteristics of. E. A. Faulkner and J. C. G. Dawnay 224
Simonich, D., and Ishii, T. K. Attenuation coefficient of millimetre-wave two-wire surface-wave transmission lines 144
Simonne, J., Esteve, D., Giralt, C., and André, B. (See Giralt)
Simple analogue divider and multiplier. B. H. Brown 206
Simple derivation of a small-signal equivalent circuit for arbitrarily doped 4-terminal field-effect transistors. F. A. Lindholm and P. R. Gray 254
Simpson, J. H. Biasing of silicon transistors 33
Sjögren, L., and Hedvall, P. (See Hedvall)
Slinn, K. R., and Clarricoats, P. J. B. (See Clarricoats)
Slow-wave propagation in a nonuniform plasma. D. N. Pinder 291
Small-signal model of the parallel-plane vacuum diode. J. S. Linder 141
Smith, B. V., and Berktay, H. O. (See Berktay)
Smith, K. C. H., Taylor, B. C., Knight, J. R., and Hilsum, C. (See Hilsum)
Smolinski, A. K. High-frequency pulse rise in slightly detuned synchronous single-circuit amplifiers 229
Snyder, A. W., and Biernson, G. (See Biernson)
Snyder, A. W. Excitation of surface modes along a semi-infinite dielectric cylinder 208
Snyder, A. W. Fields of finite cylindrical coils 62
Solar radiation, submillimetre-wavelength measurement of. R. A. Williams and W. S. C. Chang 149
Solution of hyperbolic differential equations with an analogue computer. J. S. Zielinski 139
Solution of nonlinear time-variant systems with random inputs. R. A. Senior and Z. J. Jelonek 154
Solymar, L., and Ash, E. A. Power relationships in the acoustic amplifier 241
Some new negative-impedance convertors. S. S. Hakim 9
Somesan, M., and Popovici, C. (See Popovici)
Sound waves, interaction of, end-fire array of virtual sound sources arising from. H. O. Berktay and B. V. Smith 6
Spaulding, D. A. Foster-type time-varying lossless synthesis 248
Spaulding, D. A. Lossless time-varying impedance synthesis 165
Spaulding, D. A., Newcomb, R. W., and Anderson, B. D. (See Anderson)
Spectra in angle-modulated waves. H. B. S. Brabham 143
Speech-transmission performance of p.c.m. systems. D. L. Richards 40
Speed/time recorder, automatic, utilising the principle of the stroboscope. C. L. Beevers and T. Ffoulkes 42
Spontaneous radiation-emission fluctuations of gas discharges and their measurement using a suitable radiation detector. W. Gubler and M. J. O. Strutt 152
Srinath, M. D., and Rao, S. N. (See Rao)
Stability of control systems with time delay. S. N. Rao and M. D. Srinath 219
Stable and unstable operation of complementary composite transistors. B. Stuttard 80
Standardisation of coaxial noise sources. A. C. Gordon-Smith and J. A. Lane 7
Staniforth, J. A., Bennett, R. G., and Calderwood, J. H. Dielectric measurements of high-loss liquids in rectangular waveguides 4
[illegible]nan, G. H. Proof of Krishnamurthy and [illegible]lish's duality theorem 123
[illegible]i, R., and Morelli, S. (See Morelli)
[illegible], R. T., and Huelsman, L. P. (See Huelsman)
Stewart, R. D., and Robson, P. N. (See Robson)
Storage cores, ferrite, mechanism of heat loss from in still air. B. R. Hearn 276
Strohwald, E. H. Image-convertor high-speed shutter in the range of $T = 5 \times 10^{-11}$s 18
Strutt, M. J. O., and Gubler, W. (See Gubler)
Strutt, M. J. O., and Wunderlin, W. (See Wunderlin)
Stuttard, B. Stable and unstable operation of complementary composite transistors 80
Su, K. L. Effect of load conductance on the selectivity of notch filters 217
Su, K. L. Hyperbolic RC transmission line 59
Su, K. L. Selectivity of notch filters using nonuniform RC lines 204
Subjective quality of television pictures with multiple impairments. N. W. Lewis and J. W. Allnatt 187
Submillimetre-wavelength measurement of solar radiation. R. A. Williams and W. S. C. Chang 149
Summers, J. G., Foxell, C. A. P., and Wilson, K. (See Foxell)
Superconducting cavity, field emission at 9000 Gc/s in a. H. Zimmer 24
Errata 115
Superconducting diode as high-frequency sound detector. Y. Goldstein, B. Abeles and K. R. Keller 97
Suppressed carrier-modulated input wave, envelope frequency response of networks subjected to a. J. L. Douce and K. H. Edwards 12
Surface modes, excitation of, along a semi-infinite dielectric cylinder. A. W. Snyder 208
Surface-oriented Gunn-effect oscillator. C. A. P. Foxell, J. G. Summers and K. Wilson 217
Surface-wave array, far-field polar patterns of, at 20 Mc/s. J. F. Ward 195
Surface-wave probe for measuring electron densities in a gaseous plasma. P. N. Robson and R. D. Stewart 13
Surface-wave transmission lines, millimetre-wave two-wire, attenuation coefficient of. D. Simonich and T. K. Ishii 144
Suzuki, M., Ono, M., and Yokokawa, S. (See Ono)
Switching, combinatorial, duality theorem in. E. V. Krishnamurthy and E. Bodfish 23
Switching nets and electronic logic circuits. D. A. Bell 102
Switching nets, (m, p), algebra for. E. V. Krishnamurthy 58
Switching speed of a transistor used as an AND gate. I. Aleksander 87
Switching theorem, proof of, using analogue logic. R. H. Wilkinson 137
Symbolic representations of charge-capacitance effects in 4-terminal field-effect transistors. F. A. Lindholm and P. R. Gray 255

T

Table for the voltage transfer functions of single-amplifier double-ladder feedback systems. A. G. J. Holt and J. I. Sewell 70
Taheri, S. H., Barlow, H. E. M., and Effemey, H. G. (See Barlow)
Taylor, B. C., Knight, J. R., Hilsum, C., and Smith, K. C. H. (See Hilsum)
Taylor, J., and Holt, A. G. J. (See Holt)
Telecommunications, long-distance, practical low-loss waveguide for. H. E. M. Barlow, H. G. Effemey and S. H. Taheri 14
Television, colour, system parameters. G. B. Townsend 11
Television pictures, subjective quality of, with multiple impairments. N. W. Lewis and J. W. Allnatt 187
Television programmes, distribution of average picture levels in. S. F. Quinn and P. M. Newman 261
Temperature rise of p-i-n diodes from X band pulses. W. J. Moroney and R. H. Brunton 65
Tesic, S. High-frequency phase detector 171
Theoretical and experimental investigation of the spontaneous fluctuations of the infrared radiation of a high-current high-pressure argon discharge. W. Gubler and M. J. O. Strutt 164
Theoretical design of wideband waveguide circulators. J. B. Davies 60
Theory of lossless reciprocal transformation of a reciprocal 2-state network. S. Kawakami 39
Thermal drift of m.o.s. devices. C. Giralt, B. André, J. Simonne and D. Esteve 185
Thermal instability in differential transistor amplifiers. G. H. de Visme 252
Thermoelectric generator, isotope-powered, for Ripple I. J. M. Thomson 93
Thin-film transistor, double-gate. D. Abraham and T. O. Poehler 49
Thin-wire loop antennas. M. Boella, C. Cugiani, A. Villa and R. Zich 183
Third, S. M. Tunnel-diode invertor for Ripple I and II 94
Thomas, G. C. A.C. response of a saturated ionisation chamber 199
Thomas, P. A. V., and Rayzak, R. J. Adaptive optimally switched control system using digital techniques 221
Thomson, D. General circuit analysis by computer—an aid to wideband negative-feedback-amplifier design 101
Thomson, J. M. Isotope-powered thermoelectric generator for Ripple I 93
Three-dimensional analysis of electron-velocity distribution in low-noise guns. P. A. Lindsay 32
Tibble, D. V., Gething, P. J. D., Morgan, A. D., and Shepherd, E. G. (See Gething)
Time-variable circuit-element equivalences, useful. B. D. Anderson, D. A. Spaulding and R. W. Newcomb 56
Tjhung, T. T. Power spectra and power distribution of random binary f.m. signals with premodulating shaping 176
Tonks-Dattner resonances, frequency-modulated technique for the study of. A. A. Cremin and M. C. Sexton 297
Toubelis, B. J., Carter, G., and Bibby, M. M. (See Bibby)
Touch display—a novel input/output device for computers. E. A. Johnson 219
Townsend, G. B. Colour-television-system parameters 11
Townsend's first ionisation coefficient in compressed methane. A. H. Cookson and B. W. Ward 83
Transducer, microwave piezoelectric, with internal gain. R. B. Wilson 78
Transfer-function evaluation from gain/phase data. N. G. Meadows 3
Transfer function of an active a.c. phase-advance network. D. R. Wilson 162
Transfer functions, analysis and synthesis of, natural modes of partitioned networks in. J. J. Hupert 52
Transfer functions, voltage, of single-amplifier double-ladder feedback systems, table for. A. G. J. Holt and J. I. Sewell 70

Transfer matrix of a linear dynamic system. H. H. Rosenbrock 95
Transfer matix of a linear dynamic system, further remarks on. H. H. Rosenbrock 239
Transformers, multiwinding ideal, as multiport components. M. Erdei 197
Transients in saturable reactors. D. Schieber 240
Transistor-amplifier circuits, class A, distortion in. J. B. Izatt 126
Transistor amplifiers, class A, distortion in. E. A. Faulkner and J. C. G. Dawnay 287
Transistor, double-gate thin-film. D. Abraham and T. O. Poehler 49
Transistor follower circuit, new. A. Filipkowski 105
Transistor, injection-type, generalised transfer function of. A. B. Góral 228
Transistor input distortion and emitter degeneration. D. G. Daugherty 274
Transistor, switching speed of, used as an AND gate. I. Aleksander 87
Transistorised lightning-flash counter. R. A. Barham 173
Transistors, complementary composite, stable and unstable operation of. B. Stuttard 80
Transistors, field-effect, four-terminal, equivalent circuit and intergate capacitance of. R. S. C. Cobbold 30
Transistors, field-effect, 4-terminal, symbolic representations of charge-capacitance effects in. F. A. Lindholm and P. R. Gray 255
Transistors, field-effect, 4-terminal, arbitrarily doped, simple derivation of a small-signal equivalent circuit for. F. A. Lindholm and P. R. Gray 254
Transistors, parametric amplification in. F. J. Hyde and I. Gok 8
Transistors, silicon, biasing of. J. H. Simpson 33
Transistors, silicon, characteristics of. E. A. Faulkner and J. C. G. Dawnay 224
Transistors, silicon planar, base resistance in. M. J. Gay 212
Transistors, silicon planar, low-current operation of. A. R. Owens and J. M. Jones 242
Transistors, two, complementary junction, ultralinear negative resistance using. A. H. Marshak 96, 155
Transistors, unijunction, with tristable current/voltage characteristics. A. Ambroziak 140
Transmission line, hyperbolic RC. K. L. Su 59
Transmission lines, certain lumped nonlinear, pulse propagation along. I. Richer 135
Transmission lines, lumped-parameter nonlinear, analysis of. F. A. Benson, J. D. Last, and V. I. Zharikov 247
Transmission lines, millimetre-wave two-wire surface-wave, attenuation coefficient of. D. Simonich and T. K. Ishii 144
Transmission methods of measurement of the poles and zeros of two-terminal networks. A. Fiok 20
Transverse electron-beam wave excitation by photoelectric mixing of laser beams. J. C. Bass 38
Travelling-wave tube, experimental 1kW c.w. helix, for 5-10 Gc/s. F. Wray and J. R. Dawsay 226
Tucker, D. G. Zero-loss second-order ring modulator 245
Tunnel-diode circuits, practical stability criterion for. M. K. McPhun 167, 289
J. W. Bandler 262
Tunnel-diode invertor for Ripple I and II. S. M. Third 94
Tunnel-diode oscillations, high-frequency, using a new parallel-strip point-contact diode mount. M. Gerdine and F. S. Barnes 75
Tunnel-diode pulse former, improved. L. J. Herbst 43
Two-dimensional diffraction by slits or strips. Y. Mihara 246
Two-element-kind impedance functions, bounds on. T. S. Huang 29
Two-terminal-pair network bisection. J. C. Matheau 131

U

Ultralinear negative resistance using two complementary junction transistors. A. H. Marshak 96, 155
Unified approach to electronic, magnetic and dielectric nonparametric amplifying devices. A. B. Goral 15
Errata 115
Unijunction transistors with tristable current/voltage characteristics. A. Ambroziak 140
Use of screen cathodes to obtain plasma/electromagnetic-wave interaction structures with free plasma boundaries. K. T. Lian 47
Useful approximation for the characteristic function of weakly fading signals. R. Esposito 66
Useful time-variable circuit-element equivalences. B. D. Anderson, D. A. Spaulding and R. W. Newcomb 56

V

Vacuum diode, parallel-plane, small signal model of. J. S. Linder 141
Valko, I. P. Proof of the Manley–Rowe relations from quantum considerations 129
Van de Vaart, H., Grace, M. I., and Damon, R. W. Parametric amplification of microwave magnetoelastic waves in y.i.g. at room temperature 122
Varactor diodes, elastance coefficients of. D. L. Hedderly 34
Varactor multiplier, analysis of, without idlers. F. A. Benson and W. F. Winder 210
Velocity modulation of a supersonic stream of gas—the acoustiklystron. R. B. Dyott 151
Villa, A., Zich, R., Boella, M., and Cugiani, C. (See Boella)

W

Wait, J. R. Modes of propagation in a bounded compressible plasma 193
Wait, J. R. Nature of the electromagnetic field reflected from a coastline 65
Walsh, D., and Pearson, K. p–n junction diodes as millimetre-wave detectors 240
Wanke, E. New criterion for feedback-shift-register connection 290
Wantuch, E. Extremely high-power X band 3-port circulator 45
Ward, B. W., and Cookson, A. H. (See Cookson)
Ward, J. F. Far-field polar patterns of a surface-wave array at 20 Mc/s 195
Waters, P. L. Frequency-diversity performance of a ground-surveillance radar 282
Watkins, M. L., and Farrell, P. G. (See Farrell)
Wave equation, Riccati form of the. G. Millington 184
Wave-tilt measurements of ground properties. P. J. D. Gething, A. D. Morgan, E. G. Shepherd and D. V. Tibble 106
Waveform, random two-state, generation of, from a semiconductor microplasma. J. Logan 136
Waveguide circulators, wideband, theoretical design of. J. B. Davies 60
Waveguide, dielectric-loaded circular, complex modes of propagation in. P. J. B. Clarricoats and K. R. Slinn 145
Waveguide, new type, for light and infrared waves. A. E. Karbowiak 47
Waveguide, nonuniform concentric cylindrical, azimuthal propagation in, with application to the Earth-ionosphere waveguide. R. L. Gallawa 280
Waveguide, practical low-loss, for long-distance telecommunications. H. E. M. Barlow, H. G. Effemey and S. H. Taheri 14
Waveguide, radiation from some periodic structures excited by a. D. S. Karjala and R. Mittra 111
Waveguides, rectangular, dielectric measurements of high-loss liquids in. J. A. Staniforth, R. G. Bennett and J. H. Calderwood 4
Weissglas, P., and Keržar, B. (See Keržar)
Whistler propagation, influence of collisions on. P. Hedvall and L. Sjögren 54
White, G., and Owens, A. R. (See Owens)
Wilkinson, R. H. Proof of a switching theorem using analogue logic 137
Williams, B. J. Comparison of three methods of multivariable-system identification using p.r.b.s. 235
Williams, R. A., and Chang, W. S. C. Submillimetre-wavelength measurement of solar radiation 149
Willis, J. New frequency-discriminator circuit 194
Wills, M. S., Mathias, L. E. S., and Crocker, A. (See Mathias)
Wilson, D. R. Transfer function of an active a.c. phase-advance network 162
Wilson, K., Foxell, C. A. P., and Summers, J. G. (See Foxell)
Wilson, R. B. Microwave piezoelectric transducer with internal gain 78
Winder, W. F., and Benson, F. A. (See Benson)
Wooding, E. R., and Jones, A. R. (See Jones)
Wray, F., and Dawsay, J. R. Experimental 1kW c.w. helix travelling-wave tube for 5=10 Gc/s 226
Wunderlin, W., and Strutt, M. J. O. Reverse recovery and rectification efficiency of a p–n junction diode simulated by an analogue model 232

X

X band pulses, temperature rise of p-i-n diodes from. W. J. Moroney and R. H. Brunton 65
X band 3-port circulator, extremely high-power. E. Wantuch 45
Xray and visible radiation, scattering of by nearly polished surfaces. C. C. Eaglesfield 237
Xray microscopy, resolution of, by hologram. C. C. Eaglesfield 181

Y

Yazgan, B., and Collins, J. H. (See Collins)
Yeh, C., and Rusch, W. V. T. Effects of electron-density distribution on the backscattering from an anisotropic plasma cylinder 25
Yokokawa, S., Suzuki, M., and Ono, M. (See Ono)
Young, M. R. P., and Chappell, A. D. (See Chappell)
Young, M. R. P., and Maddex, K. A. (See Maddex)
Yttrium-iron-garnet delay line, microwave pulse compression utilising. J. H. Collins and G. G. Neilson 234
Yttrium-iron-garnet discs, thick single-crystal, delay modes in. J. H. Collins and B. Yazgan 77
Yttrium-ion garnet, parametric amplification of microwave magnetoelastic waves in, at room temperature. H. Van de Vaart, M. I. Grace and R. W. Damon 122
Yttrium-iron garnet, single-crystal, enhancement of delay spectra in, by polycrystalline samples. J. H. Collins and B. Yazgan 149

Z

z transform table, additions to the. S. N. Rao 202
Zakian, V. Relation between system parameters and response duration 293
Zero-loss second-order ring modulator. D. G. Tucker 245
Zharikov, V. I., Benson, F. A., and Last, J. D. (See Benson)
Zich, R., Boella, M., Cugiani, C. and Villa, A. (See Boella)
Zielinski, J. S. Solution of hyperbolic differential equations with an analogue computer 139
Zimmer, H. Field emission at 9000 Gc/s in a superconducting cavity 24
Errata 115